EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	107	@rlad<"20030911" and ((cosimulat$3 or co-simulat$3 or coverificat$3 or co-verificat$3 or coverif$3 or co-verif$3) and (synchroniz$5 or optimiz$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 10:41
L2	51	1 and bridg$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 10:41
L3	51	2 and (engag$3 or disengag$3 or enabl$3 or disabl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 10:42
S1	1	10/660161	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 15:10
S2	49	@rlad<"20030911" and ((cosimulat$3 or co-simulat$3) and bridg$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 15:11
S3	51	@rlad<"20030911" and ((cosimulat$3 or co-simulat$3 or coverificat$3 or co-verificat) and bridg$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 15:12
S4	55	@rlad<"20030911" and ((cosimulat$3 or co-simulat$3 or coverificat$3 or co-verificat$3 or coverif$3 or co-verif$3) and bridg$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 15:27
S5	21	S4 and (control$3 and disabl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 15:52
S6	55	S4 and (control$3 and (disabl$3 or enabl$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:51

EAST Search History

|						
S7	0	@rlad<"20030911" and ((parallel with (cosimulat$3 or co-simulat$3 or coverificat$3 or co-verificat$3 or coverif$3 or co-verif$3)) and bridg$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:40
S8	10	@rlad<"20030911" and (parallel with (cosimulat$3 or co-simulat$3 or coverificat$3 or co-verificat$3 or coverif$3 or co-verif$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 17:22
S9	106	@rlad<"20030911" and ((cosimulat$3 or co-simulat$3 or coverificat$3 or co-verificat$3 or coverif$3 or co-verif$3) and (disabl$3 or enabl$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 10:40
S10	87	S9 and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 17:23
S11	56	@rlad<"20030911" and ((cosimulat$3 or co-simulat$3 or coverificat$3 or co-verificat$3 or coverif$3 or co-verif$3) and ((disabl$3 or enabl$3) with signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 17:46
S12	3	10/463057	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 17:26
S13	2	09/985286	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/06 17:32
S14	13	@rlad<"20030911" and ((dynamic$5 or parallel) with (cosimulat$3 or co-simulat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 09:26
S15	1	"5771370".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 10:51
S16	1	10/834896	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 10:51

S17	13	@rlad<"20030911" and ((parallel or dynamic$5) with (cosimulat$3 or co-simulat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:49
S19	2	09/058726	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:42
S20	2	09/058726	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:43
S21	3294	@rlad<"20030911" and ((parallel or dynamic$5) with (cosimulat$3 or co-simulat$3 or simulat$3)) and process	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 17:17
S22	226	S21 and (shar$3 with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:50
S23	205	S22 and (control$3 and (disabl$3 or enabl$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 17:17
S24	97	S22 and (simulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:51
S25	88	S24 and (control$3 and (disabl$3 or enabl$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:57
S26	30	S25 and bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 10:41
S27	0	S21 and (control$3 with optmiz$5 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:58

EAST Search History

S28	1260	S21 and (control$3 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:58
S29	0	S21 and (control$3 with optmiz$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:58
S30	0	S21 and (optmiz$5 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:58
S31	985	S28 and (control$3 and (disabl$3 or enabl$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:59
S32	160	S28 and (control$3 and (disabl$3 with signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:59
S33	115	S28 and (control$3 with(disabl$3 with signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 12:59
S34	10	@rlad<"20030911" and ((cosimulat$3 or co-simulat$3 or coverificat$3 or co-verificat$3 or coverif$3 or co-verif$3) same bridg$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 15:33
S36	0	@rlad<"20030911" and ((cosimulat$3 or co-simulat$3 or coverificat$3 or co-verificat$3 or coverif$3 or co-verif$3) with bridg$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 15:28
S38	137	pci with bidirection$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 15:31
S39	10	S34 and (disabl$3 or enabl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 15:33

EAST Search History

S40	572	@rlad<"20030911" and ((parallel or dynamic$5) with (cosimulat$3 or co-simulat$3 or simulat$3)) and process and bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 17:17
S41	100	S22 and (control$3 and (disabl$3 or enabl$3 or stop$4 or start$3) with process)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/08 17:18

Google·

cosimulation synchronization optimization opti   Search   Advanced Search
                                                                 Preferences

Web Results **31 - 40** of about **248** for **cosimulation synchronization optimization optimize synchronize**. (0.17 seconds)

[PDF] The Happy Marriage of Architecture and Application in Next ...
File Format: PDF/Adobe Acrobat - View as HTML
optimization cross loop boundaries, affect function calls and ... third one is an idle
instruction that is used to **synchronize** ...
www.emsec.ee.ucla.edu/pdf/2004cf.pdf - Similar pages

[PS] How Bochs works under the hood Peter Lund, firefly@diku.dk 2002-08 ...
File Format: Adobe PostScript - View as HTML
3.1 BX_SIM_ID When using **cosimulation** it has something to do with which ... 8
Optimization Ideas 8.1 Traces. "Almost all programming can be viewed as an ...
www.diku.dk/hjemmesider/studerende/firefly/bochsdoc.ps - Similar pages

[PDF] Device Driver and DMA Controller Synthesis from HW/SW ...
File Format: PDF/Adobe Acrobat - View as HTML
Synchronization with external events: **Synchronization** of device drivers with ...
That is, the **optimization** is more likely to be effective with respect to ...
www.imit.kth.se/~axel/papers/2001/device-driver.pdf - Similar pages
[More results from www.imit.kth.se]

[PDF] Fast Performance Analysis of Bus-Based System-On-Chip ...
File Format: PDF/Adobe Acrobat - View as HTML
symbolic traces (represented as a Bus and **Synchronization** Event ... analysis tool
into a design exploration/**optimization** tool for SOC ...
esdat.ucsd.edu/~klahiri/papers/iccad99.pdf - Similar pages

[PPT] Kein Folientitel
File Format: Microsoft Powerpoint - View as HTML
Design Space Exploration; Parameter **Optimization**; IP-Interface validation ...
Functional Validation with **Cosimulation. Cosimulation** Manager ...
www.ida.ing.tu-bs.de/research/ coops/dfg-spp-rp/rsp99/4.ppt - Similar pages

[PS] In Proc. Design Automation and Test Europe (DATE),\Omega March ...
File Format: Adobe PostScript - View as HTML
Power estimationand **optimization** techniques for other system-on-chip components,
... During **cosimulation**, when a macro-operation is executed, ...
www.princeton.edu/~anandr/pub_links/date00.ps - Similar pages

Design, Automation and Test in Europe
Free MDD-based Software **Optimization** Techniques for Embedded Systems [p. ...
MASCOT: A Specification and **Cosimulation** Method Integrating Data and Control ...
www.date-conference.com/conference/2000/abstracts.htm - 233k -
Cached - Similar pages

[PDF] Quick Start
File Format: PDF/Adobe Acrobat - View as HTML
Cosimulation with analog/RF designs, refer to the **Cosimulation** section of the ...
Momentum includes simulation, **optimization**, and visualization tools for ...
eesof.tm.agilent.com/docs/adsdoc2004A/pdf/adstour.pdf - Similar pages

[PS] EMBEDDED SYSTEM CO-DESIGN: SYNTHESIS AND VERIFICATION LUCIANO ...
File Format: Adobe PostScript - View as HTML
Other **optimization** criteria can be included beside schedulability, ... Timed and
untimed hardware/software **cosimulation**: application and efficient ...
www.cs.ucr.edu/~harry/research_ files/publications/nato95.ps - Similar pages

[PDF] System-level performance analysis for designing on-chip ...
File Format: PDF/Adobe Acrobat - View as HTML

mance-analysis methodology where an initial **cosimulation** of ... formance-analysis
tool into an **optimization** framework to auto- ...
www.tik.ee.ethz.ch/tik/ education/lectures/DSE/Lahiri.pdf - Similar pages

◀ Goooooooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11 12 13   **Next**

| cosimulation synchronization optimiz | Search |

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google